

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|---------------------|
| L1 | 204 | ((content data file) with de\$duplicat\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 09:04 |
| L2 | 7 | ((content data file image) with de\$duplicat\$4) and (stor\$3 with (image file data content) with (detect\$3 determin\$6 locat\$4 search\$3 scan\$4) with pointer with (location address)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 09:06 |
| L3 | 26 | ((content data file image) with de\$duplicat\$4) (single adj instance adj storage) (intelligent adj compression) and (stor\$3 with (image file data content) with (detect\$3 determin\$6 locat\$4 search\$3 scan\$4) with pointer with (location address)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 09:10 |
| L4 | 28 | ((content data file image) with de\$duplicat\$4) (single adj instance adj storage) (intelligent adj compression) and (((stor\$3 with (image file data content)) same ((detect\$3 determin\$6 locat\$4 search\$3 scan\$4) with pointer with (location address)) with (content data image file))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 09:11 |
| L5 | 0 | ((content data file image) with de\$duplicat\$4) (single adj instance adj storage) (intelligent adj compression) and (((stor\$3 with (image file data content)) same ((detect\$3 determin\$6 locat\$4 search\$3 scan\$4) with pointer with (location address)) with (content data image file))) and @ad<"20030425" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 09:12 |

| | | | | | | |
|-----|-----|--|--|----|----|------------------|
| L6 | 115 | ((content data file image) with de\$duplicat\$4) (single adj instance adj storage) (intelligent adj compression)) and @ad< "20030425" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 09:15 |
| L7 | 0 | ((content data file image) with de\$duplicat\$4) (single adj instance adj storage) (intelligent adj compression)) and @ad< "20030425" and ((image file data content) with (detect\$3 determin\$6 locat\$4 search\$3 scan\$4) with pointer with (location address)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 09:16 |
| L8 | 75 | ((content data file image) with de\$duplicat\$4) (single adj instance adj storage) (intelligent adj compression)) and @ad< "20030425" and ((image file data content) with (detect\$3 determin\$6 locat\$4 search\$3 scan\$4) with (pointer location address url hyper\$1link)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 09:16 |
| L9 | 38 | ((content data file image) with de\$duplicat\$4) (single adj instance adj storage) (intelligent adj compression)) and @ad< "20030425" and ((stor\$3 sav\$3 insert\$4) with (image file data content) with (detect\$3 determin\$6 locat\$4 search\$3 scan\$4) with (pointer location address url hyper\$1link)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 09:17 |
| L10 | 38 | ((content data file image) with de\$duplicat\$4) (single adj instance adj storage) (intelligent adj compression)) and @ad< "20030425" and ((stor\$3 sav\$3 insert\$4) with (image file data content) with (detect\$3 determin\$6 locat\$4 search\$3 scan\$4) with (pointer location address url hyper\$1link)) and @ad< "20030425" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 09:17 |

| | | | | | | |
|-----|------|--|---|----|----|---------------------|
| L11 | 12 | ((content data file image) with de\$duplicat\$4) (single adj instance adj storage) (intelligent adj compression)) and @ad<"20030425" and ((stor\$3 sav\$3 insert\$4) with (image file data content) with (detect\$3 determin\$6 locat\$4 search\$3 scan\$4) with (pointer location address url hyper \$1link)) and pointer | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 09:19 |
| L12 | 115 | ((content data file image) with de\$duplicat\$4) (single adj instance adj storage) (intelligent adj compression)) and @ad<"20030425" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 09:23 |
| L13 | 0 | ((content data file image) with de\$duplicat\$4) (single adj instance adj storage) (intelligent adj compression)) and @ad<"20030425" and (detect\$4 with pointer with (content data file image)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 09:24 |
| L14 | 2 | ((content data file image) with de\$duplicat\$4) (single adj instance adj storage) (intelligent adj compression)) and @ad<"20030425" and ((detect\$4 locat\$4 scan\$4 search\$3 find\$3) with pointer with (content data file image)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 09:25 |
| L15 | 8748 | (stor\$3 with (image file data content) with (detect\$3 determin\$6 locat\$4 search\$3 scan\$4) with pointer with (location address)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 09:26 |
| L18 | 699 | (stor\$3 with (image file data content) with (detect\$3 determin\$6 locat\$4 search\$3 scan\$4) with pointer with (location address)) and (pointer with original) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 09:26 |

| | | | | | | |
|-----|----|---|---|----|----|---------------------|
| L19 | 54 | (stor\$3 with (image file data content) with (detect \$3 determin\$6 locat\$4 search\$3 scan\$4) with pointer with (location address)) and (pointer with original) and ((reduc \$4 eliminat\$4) with (duplicat\$4 redundant redundac\$4)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 09:28 |
| L20 | 85 | (stor\$3 with (image file data content) with (detect \$3 determin\$6 locat\$4 search\$3 scan\$4) with pointer with (location address)) and (pointer with original) and (((reduc \$4 eliminat\$4) with (duplicat\$4 redundant redundac\$4)) (single adj instance) de\$1duplicat\$4 de\$1dup\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 09:29 |
| L21 | 33 | (stor\$3 with (image file data content) with (detect \$3 determin\$6 locat\$4 search\$3 scan\$4) with pointer with (location address)) and (pointer with original) and (((reduc \$4 eliminat\$4) with (duplicat\$4 redundant redundac\$4)) (single adj instance) de\$1duplicat\$4 de\$1dup\$3) and @ad< "20030425" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 09:30 |
| L22 | 33 | (stor\$3 with (image file data content) with (detect \$3 determin\$6 locat\$4 search\$3 scan\$4) with pointer with (location address) with (image file data content)) and (pointer with original) and (((reduc\$4 eliminat\$4) with (duplicat\$4 redundant redundac\$4)) (single adj instance) de \$1duplicat\$4 de\$1dup\$3) and @ad< "20030425" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 09:33 |

| | | | | | | |
|-----|--------|---|---|----|----|---------------------|
| L23 | 6 | (stor\$3 with (image file data content) with (detect \$3 determin\$6 search\$3 scan\$4) with pointer with (location address) with (image file data content)) and (pointer with original) and (((reduc\$4 eliminat \$4) with (duplicat\$4 redundant redundac\$4)) (single adj instance) de \$1duplicat\$4 de\$1dup\$3) and @ad< "20030425" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 09:35 |
| L24 | 1511 | (stor\$3 with (image file data content) with (detect \$3 determin\$6 search\$3 scan\$4) with pointer with (location address) with (image file data content)) and @ad< "20030425" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 09:40 |
| L25 | 63 | (stor\$3 with (image file data content) with (detect \$3 determin\$6 search\$3 scan\$4) with pointer with (location address) with (image file data content)) and (pointer with (location address) with original) and @ad< "20030425" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 09:41 |
| L26 | 482261 | (stor\$3 with image) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 09:45 |
| L27 | 450 | (stor\$3 with (image pdf)) and ((detect\$4 determin \$6) with contain\$3 with pointer) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 09:46 |
| L28 | 77 | (stor\$3 with (image pdf)) and ((detect\$4 determin \$6) with contain\$3 with pointer with (image pdf)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 09:46 |
| L29 | 3 | (stor\$3 with (image pdf)) and ((detect\$4 determin \$6) with contain\$3 with pointer with (image pdf)) and (pointer with (location address) with (original)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 09:47 |

| | | | | | | |
|-----|-------|--|---|----|----|---------------------|
| L30 | 17 | (stor\$3 with (image pdf content document)) and ((detect\$4 determin\$6) with contain\$3 with pointer with (image pdf content document)) and (pointer with (location address) with (original)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 09:50 |
| L31 | 2 | "20040213458" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 10:06 |
| L33 | 2 | "20040213458" and (media medium) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 10:07 |
| L34 | 32231 | ((determin\$6 detect\$4) with (document file image content data) with (includ \$3 contain\$3 embed\$4) with (barcode pointer code)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 10:40 |
| L35 | 1424 | ((determin\$6 detect\$4) with (document file image content data) with (includ \$3 contain\$3 embed\$4) with (barcode pointer code)) and ((pointer code barcode) with (original) with (document file image content)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 10:41 |
| L36 | 2728 | ((determin\$6 detect\$4) with (document file image content data) with (includ \$3 contain\$3 embed\$4) with (barcode pointer code)) and ((pointer code barcode) with (original) with (document file image content data)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 10:41 |
| L37 | 342 | ((determin\$6 detect\$4) with (document file image content data) with (includ \$3 contain\$3 embed\$4) with (barcode pointer code)) and ((pointer code barcode) with (original) with (document file image content data) with (location address)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 10:42 |

| | | | | | | |
|-----|-----|--|---|----|----|---------------------|
| L38 | 214 | ((determin\$6 detect\$4) with (document file image content data) with (include\$3 contain\$3 embed\$4) with (barcode pointer code)) and ((pointer code barcode) with (original) with (document file image content data) with (location address)) and @ad<"20030425" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 10:42 |
| L39 | 64 | ((determin\$6 detect\$4) with (document file image content data) with (include\$3 contain\$3 embed\$4) with (barcode pointer code)) and ((pointer code barcode) with (original) with (document file image content data) with (location address)) and @ad<"20030425" and (search\$3 with (document file image content)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 10:44 |
| L40 | 31 | ((determin\$6 detect\$4) with (document file image content data) with (include\$3 contain\$3 embed\$4) with (barcode pointer code)) and ((pointer code barcode) with (original) with (document file image content data) with (location address)) and @ad<"20030425" and (search\$3 with (document file image content)) and (de\$1duplicat\$4 de\$1dup\$3 dupliact\$4 redundant redundancy) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 10:44 |
| L41 | 1 | ((determin\$6 detect\$4) with (document file image content data) with (include\$3 contain\$3 embed\$4) with (barcode pointer code)) and ((pointer code barcode) with (original) with (document file image content data) with (location address)) and @ad<"20030425" and (search\$3 with (document file image content)) and (de\$1duplicat\$4 de\$1dup\$3 ((duplicat\$4 redundant redundancy) with (reduc | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 10:46 |

| | | | | | | |
|-----|-----|---|---|----|----|---------------------|
| | | (\$4 eliminat\$4)) | | | | |
| L42 | 0 | ((determin\$6 detect\$4) with (document file image content data) with (includ \$3 contain\$3 embed\$4) with (barcode pointer code)) and ((pointer code barcode) with (original) with (document file image content data) with (location address)) and @ad< "20030425" and (search\$3 with (document file image content)) and (de\$1duplicat\$4 de\$1dup \$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 10:47 |
| L43 | 4 | ((determin\$6 detect\$4) with (document file image content data) with (includ \$3 contain\$3 embed\$4) with (barcode pointer code)) and ((pointer code barcode) with (original) with (document file image content data) with (location address)) and @ad< "20030425" and (search\$3 with (document file image content)) and (de\$1duplicat\$4 de\$1dup \$3 compression) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 10:47 |
| L44 | 226 | ((detect\$4 embed\$4) with (mark watermark signature) with (image document pdf content data)) and ((mark watermark signature) with point\$3 with (original) with (image document content data)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 10:53 |
| L45 | 141 | ((detect\$4 embed\$4) with (mark watermark signature) with (image document pdf content data)) and ((mark watermark signature) with point\$3 with (original) with (image document content data)) and @ad< "20030425" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 10:53 |

| | | | | | | |
|-----|----|---|---|----|----|---------------------|
| L46 | 37 | ((detect\$4 embed\$4) with (mark watermark signature) with (image document pdf content data)) and ((mark watermark signature) with point\$3 with (original) with (image document content data)) and @ad< "20030425" and (determin\$6 with copy) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 10:54 |
| L47 | 1 | ((detect\$4 embed\$4) with (mark watermark signature fingerprint) with (image document pdf content data)) and ((mark watermark signature fingerprint) with point\$3 with (location address) with (original) with (image document content data)) and @ad< "20030425" and (determin\$6 with copy) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 10:58 |
| L48 | 14 | ((detect\$4 embed\$4) with (mark watermark signature fingerprint) with (image document pdf content data)) and ((mark watermark signature fingerprint) with point\$3 with (location address) with (original) with (image document content data)) and @ad< "20030425" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 10:58 |
| L49 | 1 | ((detect\$4 embed\$4) with (mark watermark signature fingerprint) with (image document pdf content data)) and ((mark watermark signature fingerprint) with point\$3 with (location address) with (original) with (image document content data)) and @ad< "20030425" and "20020176116" and (link\$3 with document with original) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 11:09 |
| L50 | 0 | "20020176116" and barcode | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 11:37 |

| | | | | | | |
|-----|----|--|---|----|----|---------------------|
| L51 | 1 | "20040213458" and barcode | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 11:38 |
| L52 | 0 | 707/3.ccls. and ((determin \$6 detect\$4) with (document file image content data) with (include \$3 contain\$3 embed\$4) with (barcode pointer code)) and ((pointer code barcode) with (original) with (document file image content data) with (location address)) and @ad<"20030425" and (search\$3 with (document file image content)) and (de\$1duplicat\$4 de\$1dup \$3 dupliact\$4 redundant redundancy) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 11:45 |
| L53 | 17 | "707"/.ccls. and ((determin \$6 detect\$4) with (document file image content data) with (include \$3 contain\$3 embed\$4) with (barcode pointer code)) and ((pointer code barcode) with (original) with (document file image content data) with (location address)) and @ad<"20030425" and (search\$3 with (document file image content)) and (de\$1duplicat\$4 de\$1dup \$3 dupliact\$4 redundant redundancy) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 11:46 |

11/7/2008 11:47:03 AM